



AGRIHANDY







Automatic A/C station for agriculture and earth-moving machines



AGRIHANDY

Tank capacity	10,5 kg
Vacuum pump	72 lt/min
Compressor capacity	300 gr/min
Injection oil/additive	timed
Printer	optional
R1234yf version	on request
12 V DC – 230 V AC	BIPOWER Version only

- 4.3" graphic display with icons
- Database for agricultural and earth-moving machines, trucks and cars
- Personal database (100 entries)
- Software for automatic A/C system flushing
- Heater
- · Scale locking system for transport
- Charging hoses SAEJ 2196 of 6 m with LP and HP couplings and taps
- · Statistic software of refrigerants and oils
- Database update via USB
- Power supply: 230 V ACDimensions: 55x53x95 cm
- Weight: 60 kg

THE DETAILS THAT MAKE THE DIFFERENCE:

- BIPOWER Version (230 V AC-12 V DC by inverter) on request
- Inflatable wheels suitable for uneven grounds
- · Manual/automatic cycle graphic display
- A/C flushing cleaning with kit 01.000.96 on request
- Leakage test under pressure with nitrogen with kit 01.000.326 on request
- Recycling cleaning of the A/C system, AUDI/VW type - kit 01.000.139 on request
- Setting of the hose length
- Software for internal cleaning of the station